

Present and Future of Modeling Global Environmental Change
Toward Integrated Modeling

Cover figure: The figure shows the ozone mixing ratio simulated by the global chemical transport model MOZART, for March 20, 2000 at 500 hPa. The color scale runs from cool to warm colors corresponding to increasing mixing ratios, with dark blue indicating less than 10 ppbv (parts per billion by volume), and pink greater than 100 ppbv. (Courtesy of Dr. G. P. Brasseur)

Cover: Designed by Katsuhiro Tsugita.

Present and Future of Modeling Global Environmental Change Toward Integrated Modeling

A Collection of Contributions Based on Presentations
at the 14th Toyota Conference,
Mikkabi, Shizuoka, Japan, October 3 to 6, 2000

Edited by

Taroh MATSUNO

Frontier Research System for Global Change, Tokyo, Japan

Hideji KIDA

*Department of Geophysics, Graduate School of Science,
Kyoto University, Kyoto, Japan*



Terra Scientific Publishing Company, Tokyo

Present and Future of Modeling Global Environmental Change:

Toward Integrated Modeling

Edited by Taroh MATSUNO and Hideji KIDA

ISBN 4-88704-127-6

Published by Terra Scientific Publishing Company, 2003 Sansei Jiyugaoka Haimu, 27-19 Okusawa 5-chome, Setagaya-ku, Tokyo 158-0083, Japan.

URL <http://www.terrapub.co.jp>

All Rights Reserved

© 2001 by Terra Scientific Publishing Company (TERRAPUB)

No part of the material protected by this copyright notice may be reproduced or utilized in any form or by any means, electronic or mechanical, including photo-copying, recording or by any information storage and retrieval system, without written permission from the copyright owner.

Printed in Japan