

藤田直子（秋田県立大学生物資源科学部）論文等リスト

原著論文

1. Taira T, Fujita N, Takaoka K, Uematsu M, Wadano A, Kozaki S, Okabe S (1995) Variation in the primary structure of waxy proteins (granule-bound starch synthase) in diploid cereals. **Biochemical Genetics** 33: 269-281
2. Fujita N, Wadano A, Kozaki S, Takaoka K, Okabe S, Taira T (1996) Comparison of primary structure of waxy proteins (granule-bound starch synthase) between polyploid wheats and related diploid species. **Biochemical Genetics** 34: 403-413
3. Fujita N and Taira T (1998) A 56kDa protein is a novel granule-bound starch synthase existing in the pericarps, aleurone layers, and embryos of immature seeds in diploid wheat (*Triticum monococcum* L.). **Planta** 207: 125-132
4. Fujita N, Kubo A, Perigio B. F., Nakakita M, Harada K, Minaka N, Nakamura Y (1999) Purification, characterization, and cDNA structure of isoamylase from developing endosperm of rice. **Planta** 208:283-293
5. Kubo A, Fujita N, Harada K, Matsuda T, Satoh H, Nakamura Y (1999) The starch-debranching enzymes isoamylase and pullulanase are both involved in amylopectin biosynthesis in rice endosperm. **Plant Physiology** 121:399-409
6. Fujita N, Hasegawa H, Taira T (2001) The isolation and characterization of waxy mutant of diploid wheat (*Triticum monococcum* L.). **Plant Science** 160:595-602
7. Fujita N, Kubo A, Suh D-S, Wong K-S, Jane J-L, Ozawa S, Takaiwa F, Inaba Y, Nakamura Y (2003) Antisense inhibition of isoamylase alters the structure of amylopectin and the physicochemical properties of starch in rice endosperm. **Plant and Cell Physiology** 44:607-618
8. Rahman S, Nakamura Y, Li Z, Clarke B, Fujita N, Mukai Y, Yamamoto M, Regina A, Tan Z, Kawasaki S, Morell M (2003) The sugary-type isoamylase gene from rice and *Aegilops tauschii*: characterization and comparison with maize and *Arabidopsis*. **Genome** 46:496-506
9. Nakamura Y, Fujita N, Kubo A, Rahman S, Morell M, Satoh H. (2003) Engineering of amylopectin biosynthesis in rice endosperm. **Journal of Applied Glycoscience** 50: 225-230.
10. Satoh H, Nishi A, Fujita N, Kubo A, Nakamura Y, Kawasaki K, Okita T.W. (2003) Isolation and characterization of starch mutants in rice. **Journal of Applied Glycoscience** 50: 197-200.
11. Satoh H, Nishi A, Yamashita K, Takemoto Y, Tanaka Y, Hosaka Y, Sakurai A, Fujita N, Nakamura Y. (2003) Starch-branching enzyme I-deficient mutation specifically affects the structure and properties of starch in rice endosperm. **Plant Physiology** 133: 1111-1121.
12. Tanaka N, Fujita N, Nishi A, Satoh H, Hosaka Y, Ugaki M, Kasawaki S, Nakamura Y. (2004) The structure of starch can be manipulated by changing the expression levels of starch branching enzyme IIb in rice endosperm. **Plant Biotechnology Journal** 2: 507-516.

13. Nakamura Y, Francisco Jr. BP, Hosaka Y, Satoh A, Sawada T, Kubo A, Fujita N (2005) Essential amino acids of starch synthase IIa differentiate amylopectin structure and starch quality between *japonica* and *indica* rice cultivars. **Plant Molecular Biology** 58: 213-227
14. Fujita N, Yoshida M, Asakura N, Ohdan T, Miyao A, Hirochika H, Nakamura Y (2006) Function and characterization of starch synthase I using mutants in rice. **Plant Physiology** 140: 1070-1084
15. Shimonaga T, Fujiwara S, Kaneko M, Izumo A, Nihei S, Francisco Jr. P, Satoh A, Fujita N, Nakamura Y, Tsuzuki M. (2007) Variation in storage α -polyglucans of red algae: amylose- and semi-amylopectin-type in *Porphyridium* and glycogen-type in *Cyanidium*. **Marin Biotechnology** 9: 192-202
16. Izumo A, Fujiwara S, Oyama Y, Sato A, Fujita N, Nakamura Y, Tsuzuki M (2007) Physicochemical properties of starch in *Chlorella* change depending on the CO₂ concentration during growth: comparison of structure and properties of pyrenoid and stroma starch. **Plant Science** 172:1138-1147
17. Fujita N, Yoshida M, Kondo T, Saito K, Utsumi Y, Tokunaga T, Nishi A, Satoh H, Park J-H, Jane J-L, Miyao A, Hirochika H, Nakamura Y (2007) Characterization of SSIIIa-deficient mutants of rice (*Oryza sativa* L.); the function of SSIIIa and pleiotropic effects by SSIIIa deficiency in the rice endosperm. **Plant Physiology** 144: 2009-2023
18. Kanai M, Higuchi K, Hagihara T, Konishi T, Ishii T, Fujita N, Nakamura Y, Maeda Y, Yoshida M, Tadano T (2007) The common reed produces starch granules at the shoot base in response to salt stress. **New Phytologist** 176:572-580
19. Shimonaga T, Konishi M, Oyama Y, Fujiwara S, Satoh A, Fujita N, Colleoni C, Buleon A, Putaux J-L, Ball S, Yokoyama A, Hara Y, Nakamura Y, Tsuzuki M. (2008) Variation in storage α -polyglucans of *Porphyridiales* (*Rhodophyta*). **Plant and Cell Physiology** 49: 103-116
20. Fujita N, Goto S, Yoshida M, Suzuki E, Nakamura Y (2008) The function of rice starch synthase I expressed in *E. coli*. **Journal of Applied Glycoscience** 55:167-172
21. Satoh H, Shibahara K, Tokunaga T, Nishi A, Tasaki M, Hwang S-K, Okita TW, Kaneko N, Fujita N, Yoshida M, Hosaka Y, Sato A, Utsumi Y, Ohdan T, Nakamura Y. (2008) Plastidic α -glucan phosphorylase mutation dramatically affects the synthesis and structure of starch in rice endosperm. **Plant Cell** 20: 1833-1849
22. Toyosawa Y, Fujita N, Nishi A, Nakamura Y, Satoh H. (2009) Screening of Pullulanase deficient mutants of rice. **Rice Genetics Newsletter** 25: 42-43
23. Fujita N, Toyosawa Y, Utsumi Y, Higuchi T, Hanashiro I, Ikegami A, Akuzawa S, Yoshida M, Mori A, Inomata K, Itoh R, Miyao A, Hirochika H, Satoh H, Nakamura Y. (2009) Characterization of PUL-deficient mutants of rice (*Oryza sativa* L.) and the function of PUL on the starch biosynthesis in the rice endosperm. **Journal of Experimental Botany** 60: 1009-1023

24. Hirabaru C, Izumo A, Fujiwara S, Tadokoro Y, Shimonaga T, Konishi M, Yoshida M, Fujita N, Nakamura Y, Yoshida M, Kuroiwa T, Tsuzuki M. (2010) The primitive rhodophyte *Cyanidioschyzon merolae* contains a semiamylopectin-type, but not an amylose-type α -glucan. **Plant and Cell Physiology** 51: 682-693
25. Matsushima R, Maekawa M, Fujita N, Sakamoto W. (2010) A Rapid, Direct Observation Method to Isolate Mutants with Defects in Starch Grain Morphology in Rice. **Plant and Cell Physiology** 51: 728-741
26. Izumo A, Fujiwara S, Sakurai T, Ball S, Ishii Y, Ono H, Yoshida M, Fujita N, Nakamura Y, Buleon A, Tsuzuki M (2011) Effects of granule-bound starch synthase I-defective mutation on the morphology and structure of pyrenoidal starch in *Chlamydomonas*. **Plant Science** 180: 238-245
27. Hanashiro I, Higuchi T, Aihara S, Nakamura Y, Fujita N. (2011) Structure of starches from rice mutants deficient in the starch synthase isozyme SSI or SSIIIa. **Biomacromolecules** 12: 1621-1628
28. Utsumi Y, Utsumi C, Sawada T, Fujita N, Nakamura Y (2011) Functional diversity of isoamylase (ISA) oligomers: The ISA1 homo-oligomer is essential for amylopectin biosynthesis in rice endosperm. **Plant Physiology** 156: 61-77
29. Fujita N, Satoh R, Hayashi A, Kodama M, Itoh R, Aihara S, Nakamura Y. (2011) Starch Biosynthesis in Rice Endosperm Requires the Presence of Either Starch Synthase I or IIIa. **Journal of Experimental Botany** 62 : 4819-4831
30. Nakamura Y, Sawada T, Ohdan T, Aihara S, Fujita N (2011) New assay method for starch branching enzyme and starch synthase by the chain-length distribution analysis. **Journal of Applied Glycoscience** 58: 119-123.
31. Redestig H, Kusano M, Ebara K, Kobayashi M, Oikawa A, Okazaki Y, Matsuda F, Arita M, Fujita N, Saito K (2011) Exploring molecular backgrounds of quality traits in rice by predictive models based on high-coverage metabolomics. **BMC Systems Biology** 5:176
32. Kodama I, Shibata C, Fujita N, Ishikawa K, Takahashi T, Nakamura Y, Kawamoto T, Kato K, Sato K, Matsunami M, Akiyama Y. (2011) Starch properties of *waxy* rice cultivars influencing rice cake hardening. **Japanese Journal of Food Engineering** 12: 157-162
33. Kusano M, Fukushima A, Fujita N, Okazaki Y, Kobayashi M, Oitome NF, Ebana K, and Saito K. (2012) Deciphering starch quality of rice kernels using metabolite profiling and pedigree network analysis. **Molecular Plant** 5 : 442-451
34. Fujita N. (2012) Analyses of function of starch biosynthesis-related isozymes in rice and production of novel starches (Review). **Journal of Applied Glycoscience** 59: 63-69

35. Crofts N, Abe K, Aihara S, Itoh R, Nakamura Y, Itoh K, Fujita N (2012). Lack of starch synthase IIIa and high expression of granule-bound starch synthase I synergistically increase the apparent amylose content in rice endosperm. **Plant Science** 193-194: 62-69
36. Akuzawa S, Okada N, Tamaki Y, Ikegami A, Fujita N, Vilpoux O, CeredaMP, Jane J-L (2012) Physicochemical properties of starches isolated from five cassava (*Manihot esculenta* Crantz) landraces of Brazil. **Journal of Applied Glycoscience** 59: 131-138
37. Fujita N, Hanashiro I, Suzuki S, Higuchi T, Toyosawa Y, Utsumi Y, Itoh R, Aihara S, Nakamura Y (2012) Elongated phytylglycogen chain-length in transgenic rice endosperm expressing active starch synthase IIa affects the altered solubility and crystallinity of the storage α -glucan. **Journal of Experimental Botany** 63: 5859-5872.
38. Fujita N, Hanashiro I, Toyosawa Y, Nakamura Y (2013) Functional study of rice starch synthase I (SSI) by using double mutant with lowered activities of SSI and isoamylase1. **Journal of Applied Glycoscience** 60: 45-51
39. Suzuki E, Onoda M, Colleoni C, Ball S, Fujita N, Nakamura Y. (2013) Physicochemical variation of cyanobacterial starch, the insoluble α -glucans in cyanobacteria. **Plant and Cell Physiology** 54: 465-473
40. 安東竜一、影嶋富美、高口均、奥田茜、藤村岳史、相沢健太、高木洋平、高田正保、中村保典、藤田直子(2013) モチ性変異体米澱粉の食品等への利用可能性試験. **応用糖質科学**3: 213-221
41. Abe N, Nakamura Y, Fujita N (2013) Thermal properties, morphology of starch granules, and crystallinity of endosperm starch in SSI and BE isozyme double mutant lines. **Journal of Applied Glycoscience**. 60: 171-176
42. Matsushima R, Maekawa M, Kusano M, Kondo H, Fujita N, Kawagoe Y, Sakamoto W (2013). Amyloplast-localized SSG4 protein influences the size of starch grains in rice endosperm. **Plant Physiology** 164: 623-636

書籍他

1. 光合成測定 (“The use of the oxygen electrode and fluorescence probes in simple measurements of photosynthesis” by David Walker). (1995) 旭光通商株式会社 一部共訳
2. 日経バイオテク (2001年10月15日オンライン掲載) 秋田県立大学など, イネのデンプン合成変異株を単離, 新機能デンプン開発へ
3. Glycoforum 糖質科学のことば(2002年3月15日オンライン掲載) 高等植物における starch synthase の研究状況
4. 澱粉科学の事典 (2003) 朝倉書店 分担 (4.8 遺伝子と表現型)
5. 藤田直子(2008)ピーシーアール Starch Round Table 2007 に参加して **Journal of Applied**

Glycoscience 55: 68-69

6. Nakamura Y, Fujita N, Utsumi Y, Nishi A, Satoh, H. (2009) Revealing the complex system of starch biosynthesis in higher plants using rice mutants and transformations. Q. Y. Shu (ed.) *Induced Plant Mutations in the Genomics Era. Food and Agriculture Organization of the United Nations, Rome*, 183-186.
7. 藤田直子・阿久澤さゆり (2010) 米澱粉系新規高機能性食品素材および添加剤の開発 **New Food Industry** 52: 41-48
8. 藤田直子・阿久澤さゆり (2010) 米の成分 (2) 澱粉～ユニークな澱粉を貯める米の開発とその利用可能性 **食品と容器** 51 (11): 656-663
9. 藤田直子(2011) イネを用いた澱粉生合成関連酵素の機能解明とユニークな澱粉の開発 (総説) . **応用糖質科学** 1: 58-64
10. 藤田直子(2011)特集: 食品新素材「ユニークな性質をもった米澱粉の開発と利用可能性」 **食品工業** 54: 76-82
11. Nakamura Y, Fujita N (2011) Report on the meeting of the international Starch Symposium in Akita, 2010 "Frontiers of new approaches to starch metabolism dynamics". **Journal of Applied Glycoscience** 58: 151-174.
12. Fujita N, Nakamura Y (2013) Distinct and overlapping functions of starch synthase isoforms. **Essential reviews in experimental biology** volume 5 'The synthesis and breakdown of starch' Ed. Ian Tetlow.
13. 藤田直子 (2013) 澱粉変異体米の解析と利用. **化学と生物** 「セミナー室」 51: 400-407
14. 藤田直子 (2013) 澱粉生合成研究の最前線と変異体米澱粉の利用と展望. **応用糖質科学** 「ミニレビュー」 3: 202-204
15. Fujita N. (2013) Starch biosynthesis in rice endosperm. (Review) **Agri-Bioscience Monographs** 4: 1-18

国際会議発表

1. Fujita N, Takaoka K, Uematsu M, Wadano A, Okabe S, Taira T. Variation in structure of starch granule-bound starch synthase (Wx protein) in diploid, polyploid wheats and Aegilops. The 2nd International Triticeae Symposium (アメリカ合衆国・ユタ州立大学) 1994.6 (口頭発表)
2. Fujita N, Kubo A, Perigio B. F., Nakakita M, Harada K, Minaka N, Yano M, Nakamura Y. Rice endosperm isoamylase: purification, characterization and its cDNA structure. *Plant Biology '98* (Proceedings of the annual Meeting of the American Society of Plant Physiologist, Madison, Wisconsin, USA, June 27 1998, p117). (アメリカ合衆国・ウィスコンシン州) 1998.6 (ポスター発表)
3. Fujita N, Kubo A, Perigio B. F., Tan Z, Nakakita M, Harada K, Minaka N, Nakamura Y.

Purification, characterization and DNA structure of isoamylase from rice endosperm. Genetic Tailoring of novel starch polymers (The 1st international workshop devoted to polysaccharide design and understanding of starch biosynthesis, 1999, p66). (フランス・キャリルロエ) 1999.9 (ポスター発表)

4. Fujita N., Kubo A, Ozawa K, Takaiwa F, Harada K, Nakamura Y. Controlling isoamylase gene expression can change the fine structure of amylopectin in rice endosperm. Biosynthesis of glucose polysaccharides (A Plant Sciences Institute Symposium 2000) (アメリカ合衆国・アイオワ州立大学) 2000.7 (ポスター発表)
5. Fujita N. Distinct functions of multiple starch synthase isozymes in rice. Volunteered brief presentation. Starch Round Tabel 2007 (アメリカ合衆国・サンアントニオ) 2007.10 (口頭発表)
6. Fujita N. The novel starches accumulated in the rice mutants having extremely low starch synthase I (SSI)/SSIIIa activities. Volunteered brief presentation. Starch Round Tabel 2009 (アメリカ合衆国・ボルチモア) 2009.9 (口頭発表)
7. Fujita N. Production of rice double mutant line of starch synthase (SS) isozymes. PPAGW (東京 笹川会館) 2010.7.29-31 (口頭発表)
8. N. Fujita. The function of starch synthase (SS) isozymes in rice developing endosperm. AACC annual meeting 2010. (アメリカ合衆国・サバンナ) 2010.10.24-27 (招待講演)
9. N. Fujita. Function of starch synthase (SS) isozymes in rice endosperm. International Symposium 2010 in Akita (秋田カレッジプラザ, ホテルきららか) 2010.11.9-11 (口頭発表)
10. N. Fujita. Contribution of SS isoforms to amylopectin structure as determined by analysis of rice mutants SRT2011 (アメリカ合衆国, パームスプリング) 2011.10.15 (招待講演)
11. N. Fujita. Functional interactions among isozymes in starch biosynthesis in rice. SRT2013 (アメリカ合衆国, アルバカーキ) 2013.9.27 (招待講演)

受賞歴

1. **日本農学進歩賞** (財団法人日本農学会) 「イネの組換え体、変異体を用いたデンプン構造変化に関する研究」 (2006.11)
2. **日本応用糖質科学会奨励賞** (会員1100名) 「イネを用いた澱粉生合成関連酵素の機能解明とユニークな澱粉の開発」 (2010.9)