

# Index

---

- access rights (see also fishing rights) 8, 9, 10, 403
- adaptive responses 188
- adhesion and colonization processes 283
- Aeromonas hydrophila* 279
- Aeromonas salmonicida* 277
- Africa 403
- African penguin (*Spheniscus demersus*) 385
- age
- at maturation 28, 35
  - structure 28, 32, 33, 37
  - structured population model 20
  - validation 103, 105–107, 109–110, 113–114
- AIC (see Akaike Information Criterion) 146
- Aleutian Low Pressure Index (ALPI) 373
- Alexandrium fundyense* 319, 322
- algal bloom 182, 185 (Table 1)
- allowable effort rule 362
- ALPI (see Aleutian Low Pressure Index)
- alternative models for resources management 406
- AMG (see Autonomous Microbial Genosensor)
- anadromous 154
- anchovy (*Engraulis encrasicolus*) 148, 382, 383, 385
- antimicrobial peptides (AMPs) 221, 222–223
- antibiotic use of – 231
  - antimicrobial activity of – 226–227, 231
  - isoforms and subgroups of – 223–231, 223 (Table 1)
  - antilipopolysaccharide factor (ALF) 221, 222–223, 228–231
  - crustins 221, 222, 225–228
  - penaeidins 221, 222, 223–225
- MIC (minimum inhibitory concentration) 226, 227, 228 (Table 2), 230 (see also Table 3), 231
- sequence comparison of – 224 (Fig. 1)
- aquaculture 197–207, 273, 401
- cage – 182
  - disease control in – 222, 231
  - shrimp – 231
- aquaculture and fisheries education (see also Bologna Declaration, Bologna Process, European higher education) 449
- AquaTNET 449, 456
- Erasmus 453
- ERASMUS Mundus 449
- MAqFish 456
- aquatic animal health 197–207
- artificial reef 335–349
- artificial upwelling structures 353, 355 (Fig. 4a)
- artisanal fisheries in Chile (see Chilean artisanal fisheries)
- assay
- in vitro* – 325–326
  - SHA 324, 328
  - ELISA 324, 327
- assimilation capacity 188, 192, 193
- Autonomous Microbial Genosensor (AMG) 325, 329, 331
- Balaena mysticetus* 145
- Balaenoptera acutorostrata* 146
- Bangladesh 405
- Bay of Fundy 319
- Bayesian methods 144–146
- B cell 272
- behaviour 34, 35, 36, 38
- biodiversity 372, 378
- bio-logging 121, 123, 124 (Fig. 1), 125–128, 132, 133
- biological interaction
- between wild and hatchery salmon 371, 376
- biological target/limit reference point 381, 392
- biomarkers 273
- biosecurity 197–207
- BOFFFF hypothesis 17
- Bologna Declaration 449
- Bologna Process 451
- biomineral of marine invertebrates 221, 231–232, 235
- bycatch 169

- cage aquaculture 182  
 – system (see CAS)
- calcification of marine invertebrates 233
- calcium of marine invertebrates 231–232
- calpain 249, 250
- calpastatin 249, 250
- Cambodia 405
- Cameroon 405
- capacity development 90, 91, 101
- capelin 32
- capture fisheries 1, 401
- Carcharodon* 114
- carrying capacity 371, 372–373, 378  
 residual – (RCC) 371, 373, 375 (Fig. 4)
- CAS 182, 185, 186, 187, 188, 193, 194, 195
- catch control law 383, 389, 391, 396, 397
- CCAMLR (see Commission for the Conservation of Antarctic Marine Living Resources)
- CCRF (see Code of Conduct for Responsible Fisheries)
- CCSBT (see Commission for the Conservation of Southern Bluefin Tuna)
- cDNA microarray 277
- cell detection 322, 327
- CFP (see Common Fisheries Policy)
- chemokines 267, 269
- child mortality (see also poverty) 400 (Table 1)
- Chilean artisanal fisheries 53
- China 2, 3, 289, 408
- chondrichthyan 104, 106, 114
- chronic stress 284
- chronometer 105, 110
- chum salmon 373, 376–377
- CITES (see Convention on International Trade in Endangered Species of Wild Fauna and Flora)
- climate change 307–308, 311, 313, 315, 371, 373, 407
- coastal governance (see also sea-use zoning) 90, 91, 99, 100
- coastal planning 90, 91, 100
- coastal waters 182, 188, 190, 191, 194
- cod 28, 30, 31, 32, 36, 37
- Code of Conduct for Responsible Fisheries (CCRF) 4, 5 (footnote 3)
- colony stimulating factor (CSF) 267, 269, 271
- Commission for the Conservation of Antarctic Marine Living Resources (CCAMLR) 382
- Commission for the Conservation of Southern Bluefin Tuna (CCSBT) 382, 383, 385, 392
- Common Fisheries Policy (CFP) 454
- complement 264, 269
- comprehensive material cycling 352
- conceptual models 319, 329
- conservation 6
- constant catch 363
- constant escapement 363
- continuity 390
- Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES) 7, 13
- coral 307, 311, 312
- CSF (see colony stimulating factor)
- C-type lectins 264, 267
- current velocity 191, 192, 193
- cyst seedbeds (see also harmful algal blooms) 320
- cytokines 267, 269, 271
- databases 408
- dating (see radium–lead dating)
- decision rule 381, 382, 389, 396, 397
- density-dependent effect 371, 377
- developing countries 2, 14
- developmental plasticity 253–255
- digestibility 187
- discard 169, 397
- discards per unit effort (DPUE) 172
- disease control 222, 231
- Dissostichus* 104
- diversity 28  
 genetic – 28, 30, 32, 36, 38
- DNA  
 – fingerprinting 156  
 – vaccine 273  
 cDNA microarray 277  
 mitochondrial – (mtDNA) 299 (Fig. 1), 300–302 (see also Figs. 3, 4)
- DPUE (see discards per unit effort)
- Earth Observation System 318
- East Africa 408
- eastern Maine Coastal Current 319–320, 323
- EC (European Commission) 449

- ecosystem (see also ocean ecosystem)  
 181–196, 307–316, 385, 394  
 – approach 5, 6, 378 (Fig. 7), 406, 407  
 E– Approach to Fisheries (EAF) 5, 6, 28, 407  
 E–based Approach to Aquaculture (EAA)  
 182  
 – comanagement 359  
 – modelling 382  
 – process (see also food web) 368  
 complexity in –s 360  
 – service (see also maximum sustainable eco-  
 system service) 359  
 pelagic – 188, 195  
 education 450  
 EEZ access rights 9, 402  
 effective population size ( $N_e$ ) 153, 161  
 effects of maternal age 20–24  
 egg production 105, 107, 114  
 age-specific – 105  
 lifetime – (LEP) 105  
 ELISA (see enzyme-linked immunosorbent assay)  
 embryonic myogenesis 251–252  
 EMCC (see eastern Maine Coastal Current)  
 employment (see also poverty) 399, 401,  
 402, 404, 408  
 empower women (see also poverty)  
 400 (Table 1)  
*Engraulis encrasicolus* 148, 382  
 environmental impacts 182, 195  
 Environmental Sampling Processor (ESP)  
 323, 325, 327, 328, 331  
 environmental sustainability 5, 400 (Table 1),  
 405, 407  
 enzyme-linked immunosorbent assay (ELISA)  
 324, 327  
 Erasmus 453  
 ERASMUS Mundus 449  
*Eschrichtius robustus* 145  
 ESP (see Environmental Sampling Processor)  
 EST (see Expressed Sequence Tag)  
 EU (European Union) 402, 408  
*Euphausia superba* 382  
 European Credit Transfer and Accumulation Sys-  
 tem (ECTS) 451  
 European higher education 449  
 European Higher Education Area (EHEA) 451  
 European MSc programme in Aquaculture and  
 Fisheries (MAqFish) 456  
 eutrophication 193  
 exclusive economic zones (EEZ) 367  
 excretion 183, 185, 187  
 exotic species 363  
 Expressed Sequence Tag (EST) 273  
 extinction 29  
 FAO (Food and Agriculture Organization of the  
 United Nations) 1, 382  
 – Code of Conduct for Responsible Fisheries  
 (FAO CCRF) 4, 5  
 fast muscle  
 number of – 252  
 fecundity 34, 103, 106, 107, 112, 113 (Fig. 5)  
 feedback control 383, 384, 396  
 feed loss 183, 185, 186, 187  
 feed use 186  
 fibre number 252, 254 (Fig. 3)  
 fish  
 teleost – 263  
 transgenic – 273  
 fish consumption 2, 405  
 global – 2, 401  
 fish production 184, 186  
 fisheries 307–308  
 –induced evolution 28, 33, 36, 37  
 F– Libraries in R (FLR) 387  
 – management (see also New Zealand fisher-  
 ies management, North Pacific Fishery Man-  
 agement Council, management system)  
 37–38, 170, 400  
 New Zealand – 47, 49, 50  
 – trade 413  
 capture – 1, 401  
 Japanese coastal – 52  
 industrial – (see also unsustainable industrial  
 fishing) 48–52, 53,  
 402, 404, 407  
 – of developing countries 3, 14, 402  
 – of Pacific Island nations 402  
 – of Sénégal 402  
 – of Western Africa 402  
 responsible – 367  
 small-scale – 52, 53, 404, 405  
 small-scale, nearshore marine – 404  
 tropical – 404

- fishery modeling 104
- fishing
- down 372
  - rights (see also access rights, rights-based [fisheries] system) 8, 9, 10
  - allocation of – 49–50
  - mortality (*F*) 27, 389, 391, 396
  - technology 174
  - selective – 28, 32, 34, 35, 37
- fleet subsidies 408
- flesh texture 250
- FLR (see Fisheries Libraries in R)
- follistatin (*fst*) 247
- food
- labeling 297, 298–299, 301
  - mileage 372
  - security 401
  - web (see also ecosystem process) 185, 188, 189, 191, 192, 364
- foraging 121–137
- behavior 127–130 (see also Figs. 4 & 5)
  - of seabirds 122–124 (see also Fig. 4)
  - trip 131 (Fig. 6)
- foreign exchange revenues 403
- foreign fleets 402, 403
- fugu 271
- Galeorhinus galeus* 143
- gender equality (see also poverty) 400 (Table 1)
- gene expression 284
- genetic divergence ( $F_{ST}$ ) 30, 36, 37
- genetic diversity 28, 30, 32, 36, 38
- genome
- array 279
  - whole – duplication (WGD) 242, 244
- genomics 279
- Ghana 403
- global fish consumption 2, 401
- globalization 401
- globalized fish trade 3, 402, 407, 408
  - globalized trade 11, 402
- global warming
- effect of – 371, 376–377
- governance 1, 2, 8, 10, 12, 13, 15
- Greenland halibut (*Reinhardtius hippoglossoides*) 382
- green-spotted pufferfish 269
- growth 253–255
- factor (see insulin-like growth factor)
  - *in-vivo* – 279
- Guangdong Province, China 401
- Guinea 405
- Gulf of Maine 319, 321, 322, 326, 329
- Gulf of Mexico 327
- hake (*Merluccius* spp.) 382
- migration 19
  - Southern African – 18–20
- halibut 28
- Greenland – (*Reinhardtius hippoglossoides*) 382
- harmful algal blooms (HABs) 317, 318
- HAB forecasting 319, 329, 330
  - management of HABs 317, 318, 319
- hatchery stocking (see also steelhead trout) 153
- heritability 33
- herring 28, 29, 30, 31, 36
- Hippoglossus* 111 (Fig. 3)
- HIV/AIDS (see also poverty) 400 (Table 1)
- Hood River (see hatchery stocking)
- Hoplostethus* 113
- host–pathogen interaction 277
- household income (see also poverty) 401
- human nutrition (see also nutrition) 399, 402
- hunger (see also poverty) 400 (Table 1)
- hybridization
- *in situ* – 278
  - sandwich – assay 324, 328
- hydroacoustics 387, 388
- hydrodynamics 182, 184, 188, 191, 192, 193, 194, 195
- 3D modelling of – 192, 193
- hypothesis plausibility 384
- ICCAT (see International Commission for the Conservation of Atlantic Tunas)
- Iceland fisheries management 46, 49
- ICM cycle (see also Integrated Coastal Management program development) 88–90, 89 (Fig. 2)
- identification
- origin – 297, 298 (Table 1), 302–303 (see also Fig. 5)

- species — 297, 298, 299 (Fig. 1),  
300–302, 304, 305 (Fig. 6)
- IL-10 284
- IL-12 284
- IL-8 285
- illegal catches 408
- Illegal, unreported and unregulated fishing (IUU)  
5, 403, 408
- incentives 8
- income (see also poverty) 408
- Individual Transferable Quota (ITQ) 9, 46,  
49–50
- Individual Vessel Quota (IVQ) 49–50
- innate immunity  
— of mammals and teleost fish  
  pathogen recognition 264, 268  
  cytokine cascade 267, 269  
— of shrimp 221  
  teleost fish-specific —  
  pathogen recognition 271  
  cytokine cascade 271  
  cellular mechanisms 272
- institutional arrangement 12, 90
- insulin-like growth factor 247–249
- Integrated Coastal Management (ICM) 88  
— in Batangas 88, 90, 91, 98,  
92–94 (Table 1),  
95–97 (Table 2), 99  
— in Xiaman 88, 90, 91, 98,  
92–94 (Table 1),  
95–97 (Table 2), 99, 100  
— program development and implementation  
88, 88–98, 89 (Fig. 2)  
— system 88
- integrated waste management plan 98
- interferon (Type I) 267, 269
- interleukins 267, 268, 270
- International Commission for the Conservation of  
Atlantic Tunas (ICCAT) 382, 392
- international fish trade 3, 10, 11, 408
- International Whaling Commission (IWC)  
141, 143, 144–145, 363,  
381, 382, 385, 392  
— Revised Management Procedure (RMP)  
383, 386
- in vitro* assays 326
- in-vivo* growth 279
- in vivo* implant 277
- iron-restricted 281
- Isurus* 114
- ITQ (see Individual Transferable Quota)
- IUU (see Illegal, unreported and unregulated fish-  
ing)
- IVQ (see Individual Vessel Quota)
- IWC (see International Whaling Commission)
- Japan 408
- Japanese coastal fisheries 52
- Japanese flounder 273, 274
- Jasus lalandii* 382
- Karenia brevis* 323, 327
- Kenya 408
- knock-out mutant 283
- krill (*Euphausia superba*) 382
- labor demand 401
- Lamna* 114
- Laser Desorption Mass Spectrometry (LDMS)  
326
- lead (see also lead–radium dating)  
103, 105, 107, 108 (see also Fig. 1),  
109 (see also Fig. 2), 110, 114
- lead–radium dating 103, 106, 107,  
108 (see also Fig. 1), 109, 110, 113, 114
- lectin  
  C-type — 264, 267
- LEP (see lifetime egg production)
- life-history traits 28, 36
- lifelong learning (LL) 449
- Lifelong Learning Programme 452
- lifetime egg production (LEP) 105
- linked ecosystem 406
- Lisbon declaration 449
- LL (see lifelong learning)
- lobster (*Jasus lalandii*) 382, 385
- longevity 103, 105–107, 109–110
- lysozyme 274
- macrophage 272, 285

- Macrurus novaezelandiae* 143
- Maine Coastal Current (MCC) 319
- malaria 400 (Table 1)
- management (see also fisheries; strategic environmental management plan; well managed) 37–38
- objectives 141–142, 148, 384, 386
  - policy 8, 107
  - procedure (MP) 50–52, 381–397
    - Protocol 381, 383, 386, 387, 393
    - empirical – 381, 390, 392, 394
    - Exceptional Circumstances in – 383, 384, 389, 390
    - model-based – 381, 390, 392, 394
  - strategies 141, 142, 143, 144–146, 147, 148–149
  - system (see also fisheries management) 409
  - technique (see also marine protected area) 5, 7, 8, 9, 105
  - age-based – 114
  - fishery – 5, 7, 8, 9, 10, 103, 104, 105, 107
  - size-selective – 114
  - size-specific – 113 (Fig. 5), 114
- MAqFish (see aquaculture and fisheries education)
- marine environments 5, 406
- marine invertebrates 221
- biomineral of – 221, 231–232, 235
  - calcification of – 233
  - calcium of – 231–232
  - oyster 232–233 (see also Figs. 5, 6), 234 (see also Fig. 7)
  - scallop 234 (Fig. 7), 235
  - shellfish 221
  - transporter 221, 233, 235–236
- marine protected area (MPA) 105
- mass balance 183, 184, 191
- maternal
- age 20
  - effects 33, 34
  - health 400 (Table 1)
- maturation 28, 35
- maturity 103, 106, 107, 112, 113
- maximum economic yield 361
- maximum sustainable ecosystem service (MSES) (see also ecosystem service) 359
- maximum sustainable yield (MSY) 6, 146, 359, 396
- MCC (see Maine Coastal Current)
- measurement error 362
- medaka 269
- Mendelian inheritance* 156
- Merluccius* spp. 382
- Merluccius paradoxus* 18–20
- meta-analysis 146
- metabolomics 285
- NMR-based – 277
- metarule 384
- microarray 273, 277, 279
- microsatellite 156
- Millennium Development Goals (MDGs) 399, 400 (Table 2), 401, 402, 405, 406, 407
- Reconsidering of – 405
- minke whale (*Balaenoptera acutorostrata*) 146, 392
- mitochondrial DNA (mtDNA) 299 (Fig. 1), 300–302 (see also Figs. 3, 4)
- model
- error (see also uncertainty) 142
  - selection 146–147
    - of AIC 146
  - conceptual –s 319, 329
  - multispecies –s 142–144
- modeling
- fishery – 104
  - numerical – 320, 329
- monitoring
- activities 367
  - data 386
  - of seabirds foraging 122, 130, 132, 133
  - HAB – 319, 322, 325, 330
- mortality
- natural – (*M*) 387, 388, 389
  - size-related – 376
  - size-selective – 373
- MPA (see marine protected area)
- MRFs (see myogenic regulatory factors)
- MSES (see maximum sustainable ecosystem service)
- mstn (see myostatin)
- MSY (see maximum sustainable yield)
- mtDNA (see mitochondrial DNA)
- Mx 264, 273
- myogenesis 242, 251, 252

- myogenic genes 242
- myogenic regulatory factors (MRFs) 243, 245
- myosin 255
- myostatin (mstn) 244, 246
- NAFO (see North Atlantic Fisheries Organisation)
- NASBA (see nucleic acid sequence-based amplification)
- natural mortality (*M*) 387, 388, 389
- $N_e$  (see effective population size)
- nearshore tropical fisheries 406, 409
- neutrophils 272
- New Zealand fisheries management 47, 49, 50
- NGO (see non-governmental organization)
- Nicaragua 405
- NITR (see novel immune type receptor)
- nitrogen 185, 187, 191, 192, 194
- NLR (see nucleotide-binding domain and LRR)
- NMR-based metabolomics 277
- non-governmental organization (NGO) 368, 386, 393
- North Atlantic bluefin tuna (*Thunnus thynnus*) 382
- North Atlantic Fisheries Organisation (NAFO) 382
- North Pacific Fishery Management Council 141
- North-South relationships 401
- Norway 392
- novel immune type receptor (NITR) 272
- nucleic acid sequence-based amplification (NASBA) 328
- nucleotide-binding domain and LRR (NLR) 264
- number of fast muscle 252
- numerical modeling (see also model, modeling) 320, 329
- nutrients 182, 183, 184, 185, 186, 187, 188, 191, 192, 193, 195
- waste 181, 184, 185, 186, 191
- assimilation of – 188
- emission of – 182, 191, 194
- dilution and transport of – 188
- dissolved inorganic – 185
- dissolved organic – 185
- loading of – 186, 188, 189, 191, 192, 193
- particulate – 185, 186
- nutrition (see also human nutrition) 400, 408
- observing system simulation experiments (OSSEs) 330
- ocean acidification 307, 311, 312
- ocean ecosystem
- structure and function of – 378
- ocean observing systems (OOSs) 317, 318
- Okhotsk Sea 371, 376–377
- Oncorhynchus* 371
- *mykiss* 153
- OOSs (see ocean observing systems)
- operating model (OM) 381, 382, 385, 386, 387, 389, 390, 394, 396
- orange roughy 113, 114
- Oreosomatidae 114
- origin identification 297, 298 (Table 1), 302–303 (see also Fig. 5)
- OSSEs (see observing system simulation experiments)
- otolith 104, 106, 107, 108, 109 (see also Fig. 2), 110, 111 (see also Fig. 3), 112 (Fig. 4), 113, 114
- outer membrane protein profile 282
- outer-pore membrane secretion apparatus 285
- overfishing 29, 31, 32
- Pacific Decadal Oscillation (PDO) 372, 376 (Fig. 2)
- Pacific Fishery Management Council 141
- Pacific Island nations 402, 403
- Pacific Islands 402, 403, 406
- Pacific salmon 154, 371–380
- PAMPs (see pathogen-associated molecular patterns)
- Pan I* 36
- parentage analysis 153
- pathogen-associated molecular patterns (PAMPs) 266
- pathogen recognition receptors (PRRs) 264, 268, 271
- PCR-RFLP 299–300
- PDO (see Pacific Decadal Oscillation)
- pelagic ecosystem 188, 195
- penaeidins 221, 222, 223–225
- Penaeus monodon* EST database 221, 222–223, 223 (Table 1)

- penguins 121–137  
   African – (*Spheniscus demersus*) 385  
 peptide mass mapping 298 (Table 1), 304,  
   305 (Fig. 6)  
 phenotypic diversity 32, 37, 38  
 phenotypic plasticity 32, 36, 38  
 phosphate 185, 186, 187  
 phosphorus 187  
 phytoplankton 185, 186, 187, 188, 189,  
   190, 193, 194, 195  
 pili (see type IV pili)  
 pollution 182  
 population dynamics 106, 107  
 poverty 400 (Table 1), 401, 405  
   – alleviation 8, 15, 399, 401, 402  
   – in fisheries 399  
   – reduction 8, 404  
   employment 2, 399, 401,  
     402, 404, 408  
   empower women 400 (Table 1)  
   food security 8  
   gender equality 400 (Table 1)  
   HIV/AIDS 400 (Table 1)  
   household income 401  
   hunger 400 (Table 1)  
   income 8, 408  
 Poverty Reduction Strategy Papers (PRSPs) 405  
 prawn trawl 170  
 precautionary approach 38, 382, 397  
 preservation  
   – of marine environment 354  
   – of fish resources 356  
 primary education 400 (Table 1)  
 primary production 188, 189, 191, 194, 195  
 proteomic study 279  
 proteomics 277, 278, 279, 281, 282, 286  
 PRRs (see pathogen recognition receptors)  
 PRSPs (see Poverty Reduction Strategy Papers)  
  
 quantitative PCR (qPCR) 328  
  
 radium 103, 105, 106, 107,  
   108 (see also Fig. 1),  
   109 (see also Fig. 2), 110, 114  
 rainbow trout 155  
  
 recombinant protein vaccine 273  
 recruitment 33  
 Redfield ratio 186  
 regime shift 1, 5, 12, 15, 372,  
   374 (Fig. 2), 377  
 regional fisheries management organization  
   (RFMO) 3, 5, 13, 387  
*Reinhardtius hippoglossoides* (see Greenland hali-  
   but)  
 relative reproductive success (RRS) 156  
 reproduction 105, 106, 107, 110,  
   112, 113, 115  
 reproductive  
   – output 105, 106, 107, 110  
   – potential 33, 34  
   – rate 112  
   – strategy 113  
   – success 153  
   – year 112  
 residual carrying capacity (RCC) 371, 373,  
   375 (Fig. 4)  
 responsible fisheries 4, 367  
 RFMO (see regional fisheries management or-  
   ganization)  
 rights-based (fisheries) system 8, 9  
 risk 144, 146, 148, 381, 384, 387  
   – analysis 197–207  
 robustness 384, 385  
 RRS (see relative reproductive success)  
  
 salmon (see also *Oncorhynchus*)  
   32, 182, 186, 187, 191,  
   192, 194, 195, 209  
   chum – 371, 376–377  
   Pacific – 154, 371–380  
 sandwich hybridization assay (SHA) 324, 328  
 sardine 382, 383, 385, 387, 388  
*Sardinops sagax* 148, 382  
 Sato-Umi 351, 352–354  
 Sato-Yama 351–352  
 SBT (see Southern bluefin tuna)  
   382, 383, 385  
 Scorpaenidae 105, 107  
 sea ice concentration 376  
 seabirds 5, 6, 7  
   – as resource availability indicators  
     121–137

- seafood market 408
- sea-use zoning (see also coastal governance) 91, 99
- Sebastes* 105, 106, 107, 109, 110, 111, 113
- *aleutianus* 113
  - *borealis* 113
  - *diploproa* 107, 109
  - *jordani* 107
  - *melanops* 106, 107, 140 (Table 1)
  - *mentella* 105
  - *paucispinis* 107, 111 (Fig. 3)
  - *pinniger* 107, 110, 111 (Fig. 3)
  - *ruberimus* 107, 108, 111 (Fig. 3)
- sector allocation 49–50
- selective fishing 28, 32, 34, 35, 37
- selectivity 169
- Sénégal 402, 403
- sex ratio 34
- SFMEA (see sustainable fisheries management based on the ecosystem approach)
- SHA (see sandwich hybridization assay)
- shark 114
- shrimp 221, 222–231
- aquaculture [farming] 231
  - disease control in – 222, 231
  - biotechnology of – 221, 236
  - innate immunity of – 221
- simulation 142
- testing 381, 384, 386, 397
- Siretoko World Natural Heritage 367
- size
- at maturation 28, 35
  - related mortality 376
  - selective mortality 373
  - structure 28, 32, 33, 37
- snapper 113
- socio-economic 389
- Somalia 408
- South Africa 381, 382, 384, 385, 386, 392, 393
- Southern African hakes 18–20
- Southern bluefin tuna (*Thunnus maccoyi*; SBT) 382, 383, 385
- spatial structure 143
- spawner biomass 23
- spawner stock biomass 18
- spawning
- aggregation/component 29, 30
  - frequency 22
  - season 23
- species identification 297, 298, 299 (Fig. 1), 300–302, 304, 305 (Fig. 6)
- spermatogonia 209
- Spheniscus demersus* 385
- SPR (see surface plasmon resonance)
- stable isotope 372
- stakeholder participation 13, 90, 91, 99, 100
- steelhead trout (*Oncorhynchus mykiss*) 153
- stickleback 269
- stock
- assessment 139–152, 382, 385, 390, 396, 397
  - CASAL 140, 143
  - GADGET 140, 143
  - MULTIFAN 140
  - Stock Synthesis 2 140
  - collapse 29, 31, 32
  - concept 28
  - recruit relationship 23–24
  - recruitment 142, 143, 144–147
  - potential 24
  - structure 28, 30, 36, 37, 38
- strategic environmental management plan 91
- structure
- age – 28, 32, 33, 37
  - artificial reef 335–349
  - artificial [man-made] upwelling – 353, 355 (Fig. 4a)
  - ocean ecosystem – 378
  - size – 28, 32, 33, 37
  - spatial – 143
  - stock – 28, 30, 36, 37, 38
- subsidies 402
- supplementation 153
- suppressive subtractive hybridization library 277
- surface plasmon resonance 327
- surimi* 402
- surrogate broodstock 209
- sustainability 47, 50, 53, 54, 103, 104, 107, 111
- science 378
- sustainable (see also unsustainable industrial fishing)
- coastal development 88, 91

- conservation management 371, 372, 377–379
- financing 91
- fisheries management based on the ecosystem approach (SFMEA) 5, 378
- symbiosis 352
  
- Tanzania 408
- TED (trawl efficiency device) 174
- teleost fish 263
- temperature acclimation 255
- thermonuclear 105, 110
- Thunnus maccoyi* 382
- Thunnus thynnus* 382
- TLR (see toll-like receptor)
- TNF (tumor necrosis factor) 267, 269, 285
  - promoter 273
- toll-like receptor (TLR) 264, 268, 271
- toothfish 104
- top-predators 121, 122
- total allowable catch (TAC) 2, 6, 10, 362, 381, 383, 384, 385, 386, 389, 390, 391, 393, 396, 397
  - variability 381, 389, 394
- toxic algae 319
- toxin detection 323, 325, 326
- trace elemental analysis 298 (Table 1), 302–304
- trade 3, 10
- trade-off 386, 397
- transboundary aquatic animal diseases 197–207
- transgenic fish 273
- transplantation 209
- tropical developing countries 404
- trout (see also salmon) 209
- tumor necrosis factor (TNF) 267, 269, 285
- turbot 28
- Tuvalu 403
- type III secretion system 283
  
- type IV pili 283
  
- uncertainty 396, 397
  - in stock estimates 360
  - implementation error 142
  - model error 142
  - observation error 142, 148, 385
  - process error 142, 144, 148, 385
- United Nations Conference on Environment and Development (UNCED) 4
- United Nations Convention on the Law of the Sea (UNCLOS) 4, 7, 362
- UN Fish Stocks Agreement 4
- unsustainable industrial fishing 403
- USA 408
- utilization 1, 2, 5, 6, 7, 8, 15
  
- vaccine 278
  - DNA – 273
  - recombinant protein – 273
  - /adjuvant 273
- virulence factor 277
- vulnerability to fishing 32, 34, 35, 36, 38
  
- water current 191, 192, 193, 194, 195
- well managed 11, 46
- western Maine Coastal Current (WMCC) 319–320, 323
- whole genome duplication (WGD) 242, 244, 269
- WMCC (see western Maine Coastal Current)
- world fish trade 3, 10, 401
- World Summit on Sustainable Development (WSSD) 5
  
- zebrafish 269, 272, 274
- zooplankton 185, 186, 188, 189, 190, 191